hereditary sensory and autonomic neuropathy type V

Hereditary sensory and autonomic neuropathy type V (HSAN5) is a condition that primarily affects the sensory nerve cells (sensory neurons), which transmit information about sensations such as pain, temperature, and touch. These sensations are impaired in people with HSAN5.

The signs and symptoms of HSAN5 appear early, usually at birth or during infancy. People with HSAN5 lose the ability to feel pain, heat, and cold. Deep pain perception, the feeling of pain from injuries to bones, ligaments, or muscles, is especially affected in people with HSAN5. Because of the inability to feel deep pain, affected individuals suffer repeated severe injuries such as bone fractures and joint injuries that go unnoticed. Repeated trauma can lead to a condition called Charcot joints, in which the bones and tissue surrounding joints are destroyed.

Frequency

HSAN5 is very rare. Only a few people with the condition have been identified.

Genetic Changes

Mutations in the NGF gene cause HSAN5. The NGF gene provides instructions for making a protein called nerve growth factor beta (NGF β) that is important in the development and survival of nerve cells (neurons), including sensory neurons. The NGF β protein functions by attaching (binding) to its receptors, which are found on the surface of neurons. Binding of the NGF β protein to its receptor transmits signals to the cell to grow and to mature and take on specialized functions (differentiate). This binding also blocks signals in the cell that initiate the process of self-destruction (apoptosis). Additionally, NGF β signaling plays a role in pain sensation. Mutation of the NGF gene leads to the production of a protein that cannot bind to the receptor and does not transmit signals properly. Without the proper signaling, sensory neurons die and pain sensation is altered, resulting in the inability of people with HSAN5 to feel pain.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- congenital insensitivity to pain
- congenital sensory neuropathy with selective loss of small myelinated fibers
- hereditary sensory and autonomic neuropathy, type 5
- HSAN type V
- HSAN V
- HSAN5

Diagnosis & Management

Genetic Testing

 Genetic Testing Registry: Congenital sensory neuropathy with selective loss of small myelinated fibers https://www.ncbi.nlm.nih.gov/gtr/conditions/C0020075/

General Information from MedlinePlus

- Diagnostic Tests
 https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

Additional Information & Resources

MedlinePlus

- Health Topic: Degenerative Nerve Diseases https://medlineplus.gov/degenerativenervediseases.html
- Health Topic: Peripheral Nerve Disorders https://medlineplus.gov/peripheralnervedisorders.html

Genetic and Rare Diseases Information Center

 Hereditary sensory and autonomic neuropathy type V https://rarediseases.info.nih.gov/diseases/12328/hereditary-sensory-and-autonomic-neuropathy-type-v

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Peripheral Neuropathy https://www.ninds.nih.gov/Disorders/All-Disorders/Peripheral-Neuropathy-Information-Page
- National Institutes of Health Rare Diseases Clinical Research Network: The Inherited Neuropathies Consortium http://www.rarediseasesnetwork.org/cms/inc/Healthcare-Professionals/CMT

Educational Resources

- Disease InfoSearch: Congenital sensory neuropathy with selective loss of small myelinated fibers
 http://www.diseaseinfosearch.org/Congenital+sensory+neuropathy+with+selective +loss+of+small+myelinated+fibers/8080
- National Institute of Neurological Disorders and Stroke: Hereditary Neuropathies https://www.ninds.nih.gov/Disorders/All-Disorders/Hereditary-Neuropathies-Information-Page
- Orphanet: Hereditary sensory and autonomic neuropathy type 5 http://www.orpha.net/consor/cgi-bin/OC Exp.php?Lng=EN&Expert=64752
- University of Chicago Center for Peripheral Neuropathy http://peripheralneuropathycenter.uchicago.edu/

Patient Support and Advocacy Resources

 The Foundation for Peripheral Neuropathy https://www.foundationforpn.org/

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28hereditary+sensory+and +autonomic+neuropathy+type+v%5BTIAB%5D%29+OR+%28hsan+type+v% 5BTIAB%5D%29+OR+%28hsan5%5BTIAB %5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last +3600+days%22%5Bdp%5D

OMIM

 NEUROPATHY, HEREDITARY SENSORY AND AUTONOMIC, TYPE V http://omim.org/entry/608654

Sources for This Summary

- Capsoni S, Covaceuszach S, Marinelli S, Ceci M, Bernardo A, Minghetti L, Ugolini G, Pavone F, Cattaneo A. Taking pain out of NGF: a "painless" NGF mutant, linked to hereditary sensory autonomic neuropathy type V, with full neurotrophic activity. PLoS One. 2011 Feb 28;6(2):e17321. doi: 10.1371/journal.pone.0017321.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21387003 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3046150/
- Einarsdottir E, Carlsson A, Minde J, Toolanen G, Svensson O, Solders G, Holmgren G, Holmberg D, Holmberg M. A mutation in the nerve growth factor beta gene (NGFB) causes loss of pain perception. Hum Mol Genet. 2004 Apr 15;13(8):799-805. Epub 2004 Feb 19. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/14976160
- Kaplan DR, Miller FD. Neurotrophin signal transduction in the nervous system. Curr Opin Neurobiol. 2000 Jun;10(3):381-91. Review. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/10851172
- Larsson E, Kuma R, Norberg A, Minde J, Holmberg M. Nerve growth factor R221W responsible for insensitivity to pain is defectively processed and accumulates as proNGF. Neurobiol Dis. 2009 Feb; 33(2):221-8. doi: 10.1016/j.nbd.2008.10.012. Epub 2008 Nov 8. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/19038341
- Lewin GR, Mendell LM. Nerve growth factor and nociception. Trends Neurosci. 1993 Sep;16(9): 353-9. Review. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/7694405
- Ritter AM, Lewin GR, Kremer NE, Mendell LM. Requirement for nerve growth factor in the development of myelinated nociceptors in vivo. Nature. 1991 Apr 11;350(6318):500-2. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/2014050
- Verhoeven K, Timmerman V, Mauko B, Pieber TR, De Jonghe P, Auer-Grumbach M. Recent advances in hereditary sensory and autonomic neuropathies. Curr Opin Neurol. 2006 Oct;19(5): 474-80. Review. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/16969157
- Verpoorten N, De Jonghe P, Timmerman V. Disease mechanisms in hereditary sensory and autonomic neuropathies. Neurobiol Dis. 2006 Feb;21(2):247-55. Epub 2005 Sep 23. Review. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/16183296

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/hereditary-sensory-and-autonomic-neuropathy-type-٧

Reviewed: July 2011

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services